


# E2

## INSTRUCTION MANUAL

## 使用说明书



**GOOSKY**

#5 BY DESIGN

©2024

Thank you for buying GOOSKY products. The E2 is the latest technology in radio control helicopters. Please read this manual carefully before assembling and flying the new E2 helicopter. We recommend that you keep this manual for future reference and to assist with maintenance.

感谢您选用谷天科技系列产品。

进入遥控世界前必须告诉您许多相关的知识与注意事项，以确保您能够在学习的过程中较得心应手。在开始操作之前，请务必详细阅读本说明书，相信一定能够给您带来相当大的帮助，也请您妥善保管这本说明书，以作为日后参考。

Thank you for buying GOOSKY products. The E2 Helicopter is designed as an easy to use, full featured radio control helicopter capable of all forms of rotary flight. Please read the manual carefully before assembling the model, and follow all precautions and recommendations located within the manual. Be sure to retain the manual for future reference, routine maintenance, and tuning.

The E2 is a new product developed by GOOSKY. It features the best design available on the Micro-Heli market to date, providing flying stability for beginners, full aerobatic capability for advanced fliers, and unsurpassed reliability and customer support.

感谢您选购谷天科技公司产品，为了你容易方便使用E2直升机，请您详细的阅读完这本说明书之后再进行组装以及操作这台直升机，同时请您妥善保存这本说明书，作为日后进行调整以及维修的参考。

E2是由谷天科技有限公司自行研发的新产品，不论您是需求飞行稳定的初学者还是追求性能卓越的飞行爱好者。E2将是您最佳的选择。

## WARNING LABEL LEGEND 标志代表含义

 WARNING 警告	Mishandling due to failure to follow these instructions may result in damage or injury. 因为疏忽这些操作说明，而使用错误可能造成财产损失或严重伤害。
 CAUTION 注意	Mishandling due to failure to follow these instructions may result in danger. 因为疏忽这些操作说明，而使用错误可能造成危险。
 FORBIDDEN 禁止	Do not attempt under any circumstances 在任何禁止的环境下，请勿尝试操作。

## IMPORTANT NOTES 重要声明

R/C helicopters, including the E2 are not toys. R/C helicopters utilize various high-tech products and technologies to provide superior performance. Improper use of this product can result in serious injury or even death. Please read this manual carefully before using and make sure to be conscious of your own personal safety, the safety of others, and your environment when operating all GOOSKY products.

Manufacturer and seller assume no liability for the operation or the use of this product. Intended for use only by adults with experience flying remote control helicopters at a legal flying field. After the sale of this product we cannot maintain any control over its operation or usage.

E2遥控直升机并非玩具，它是结合了许多高科技产品所设计出来的休闲用品，所以商品的使用不当或者不熟悉都可能会造成严重伤害甚至死亡，使用之前请务必详细阅读本说明书，勿轻忽并注意自身安全。

注意！任何遥控直升机的使用，制造商和经销商是无法对使用者于零件使用的损耗异常或组装不当所发生之意外负责任何责任，本产品是提供给有操作过模型直升机经验的成人或者有相当技术的人员在旁指导于当地合法遥控飞行场飞行，以确保安全无误下操作使用，产品售出后该公司将不负有任何操作和使用控制上的任何性能与安全责任。

We recommend that you obtain the assistance of an experienced pilot before attempting to fly our products for the first time. A local expert is the best way to properly assemble, setup, and fly your model for the first time. E2 Helicopter requires a certain degree of skill to operate, and is a consumer item. Any damage or dissatisfaction as a result of accidents or modifications are not covered by any warranty and cannot be returned for repair or replacement. Please contact our distributors for free technical consultation and parts at discounted rates when you experience problems during operation.

模型商品属于需高操作技术且为消耗性之商品，如经拆装使用后，会造成不等情况零件损耗，任何使用情况所造成的商品不良或不满意，将无法于保固条件下更换新品或者退货，如遇有使用操作维修问题，本公司全球分公司或者代理商将提供技术指导，特价零件供应服务。

## SAFETY NOTES 安全注意事项



Fly only in safe areas, away from other people. Do not operate R/C aircraft within the vicinity of homes or crowds of people. R/C aircraft are prone to accidents, failures, and crashes due to a variety of reasons including, lack of maintenance, pilot error, and radio interference. Pilots are responsible for their actions and damage or injury occurring during the operation, or as a result of Flying R/C aircraft.

遥控模型飞机、直升机属于高危险性商品，飞行时务必远离人群，人为组装不当或机件损坏，电子控制设备不良，以及操控上的不熟悉、都有可能导致飞行失控损伤等不可预期的意外，请飞行者务必注意飞行安全，并需了解自负疏忽所造成的任何意外之责任。



## FLY IN AN APPROPRIATE LOCATION 远离障碍物及人群

R/C helicopters fly at high speed, thus posing a certain degree of potential danger. Choose a legal flying field consisting of flat, smooth ground without obstacles.

Do not fly near buildings, high voltage cables, or trees to ensure the safety of yourself, others and your model.

For the first practice, please choose a legal flying field and use training skids to fly to reduce the damage. Do not fly your model in inclement weather, such as rain, snow or darkness.

直升机飞行时具有一定速度，相对的也潜在着危险性，场地的选择也相对的重要，请遵守当地的法律法规到合法的遥控飞行场地去飞行。

必须注意周边有没有人、高楼、建筑物、高压电线、树木等等、避免操控的不当造成自己或与他人的财产损坏。

初次练习时，务必选择在空旷合法专属飞行场地并适当搭配练习架飞行，这对于飞行失误所造成的损伤将会大幅的降低。请勿在下雨天、打雷等恶劣天气下操作，以确保本身及机体的安全。




## PREVENT MOISTURE 远离潮湿环境

R/C models are composed of many precision electrical components.

It is critical to keep the model and associated equipment away from moisture and other contaminants. The introduction or exposure to water or moisture in any form can cause the model to malfunction resulting in loss of use, or a crash. Do not operate or expose to rain or moisture.

直升机内部也是由精密的电子零件组成，所以必须绝对的防止潮湿或水气，避免在浴室或雨天时使用，防止水气进入机身内部而导致机体及电子零件故障而引发不可预期的意外！




## PREVENT OPERATION 勿不当使用本产品

Please use only Goosky parts to ensure the safe operation of your helicopter.

请勿自行改造加工，任何的升级改造或维修，请使用谷天科技创新产品目录中的零件，以确保结构的安全。

请确认于产品限界内操作，请勿过载使用，并勿用于安全、法令外其他非法用途。



## OBTAIN THE ASSISTANCE OF AN EXPERIENCED PILOT

## 避免独自操控

Before turning on your model and transmitter, check to make sure no one else is operating on the same frequency. Frequency interference can cause your model, or other models to crash.

The guidance provided by an experienced pilot will be invaluable for the assembly, tuning, trimming, and actual first flight. (We recommend you practice with a computer-based flight simulator.)

至飞行场地前，需确认是否有相同频率的同好正在飞行，因为开启相同的频率的发射机将导致自己与他人立即干扰等意外危险。


遥控飞机操控技巧在学习初期有着一定的难度，要尽量避免独自操作飞行，需有经验的人士在旁指导，才可以操控飞行。（勤练电脑模拟器及老手指是入门必要的选择）



## SAFE OPERATION 安全操作

Operate this unit within your ability. Do not fly under impaired conditions and improper operation may cause danger to yourself and others.

请于自己能力内及需要一定技术范围内操作这台直升机，过于疲劳，精神不佳或不当操作，意外发生风险将可能会提高。



## ALWAYS BE AWARE OF THE ROTATING BLADES 远离运转中的零件

During the operation of the helicopter, the main rotor and tail rotor will be spinning at a high rate of speed. The blades are capable of inflicting serious bodily injury and damage to the environment. Be conscious of your actions, and careful to keep your face, eyes, hands, and loose clothing away from the blades. Always fly the model a safe distance from yourself and others, as well as surrounding objects. Never take your eyes off the model or leave it unattended while it is turned on. Immediately turn off the model and transmitter when you have landed the model.

当直升机主旋翼与尾旋翼运转时，切勿触摸并远离任何物件，以避免造成危险及损坏。







## KEEP AWAY FROM HEAT 远离热源

R/C models are made of various forms of plastic which is very susceptible to damage or deformation due to extreme heat and cold climate.

Make sure not to store the model near any source of heat such as an oven, or heater. It is best to store the model indoors in a climate-controlled room.

遥控飞机多半是以PA纤维或聚乙烯、电子商品为主要材质，因此要尽量远离热源、日照、以避免因高温而变形甚至熔毁损坏的可能。



			
Knife 刀子	Scissors 剪刀	Needle Nose Pliers 尖嘴钳	Diagonal Cutting Pliers 斜口钳

## 胶水使用方法

When you see the marks as below,please use glue or grease to ensure flying safety.


标有以下符号之组装步骤，请配合上胶或上油，以确保使用之可靠度。



Apply BLUE Threadlocker  
使用中强度螺丝胶



Apply Petroleum-Based,  
Light Viscosity Lube  
添加润滑油



Loosely Tighten  
普通拧紧



Apply NO Threadlock  
无需使用螺丝胶



Apply Synthetic  
Grease  
添加润滑油脂




Fully Tighten  
完全拧紧




Apply MEDIUM CA  
使用瞬间胶固定



Repeat Multiple Times  
重复多次



BLUE threadlocker width:approx 1mm  
蓝色螺丝胶上胶宽度约1mm



## Specifications 参数配备



- Length: 483mm
- Height: 132mm
- Width: 115mm
- Main Rotor Diameter: 490mm
- Tail Rotor Diameter: 87mm
- Flying Weight: About 538g

- 机身长: 483mm
- 机身高: 132mm
- 机身宽度: 115mm
- 主旋翼直径: 490mm
- 尾旋翼直径: 87mm
- 起飞重量约: 538g

## Features 设计特点



- Dual brushless motors driving the main and tail rotors directly
- Adjustment free linkage rods for servos, swash and head
- Full-metal CNC manufactured rotorhead with 8 high precision bearings, provides stable and smooth flying experience
- Full-metal CNC manufactured swashplate guarantees accuracy and durability
- Pop-off canopy design, quick and easy battery replacement
- New rotor blade designs, offer optimum power and efficiency
- Parameter adjustment by Smart Phone APP Wireless programming. Upgradeable FBL fmmware
- Non-reversible, quick release tail rotor
- High-end EPP carrying case with an integrated handle and locking mechanism, built to withstand impact and be easy to carry
- GTS System reprogrammed with new Higher Order Control Algorithms

- 采用双无刷电机直接驱主尾旋翼设计
- 全机免调连杆设计
- 全金属CNC加工旋翼头组件，内置8颗高精密轴承，提供更稳定、细腻的飞行体验
- 全金属CNC倾斜盘组件，精度高、强度好
- 快拆头罩设计，电池拆装简单便捷
- 全新设计的主桨、尾桨，为飞行带来澎湃动力
- 手机APP调参、程序升级
- 一体式高强度笼式结构，采用特种工程材料注塑，强度高，易维护
- 高端工业EPP手提箱，结实耐用，携带便捷
- 多功能、高集成GTS飞控系统





Recommendation: Use low strength metal thread glue  
for M1x3 screws and M1.4x3 screws.  
建议: M1x3螺丝和M1.4x3螺丝使用低强度金属螺纹胶。



Ball head screw 球头螺丝 (Φ3.175*5.3mm -M1.6)x4	Ball head screw 球头螺丝 (Φ3.175*6.3mm-M1.6)x2	Ball head screw 球头螺丝 (Φ3.175*15mm-M1.6)x1	Philips Screw 圆头十字螺丝 (M1x3mm)x4	Philips Screw 半圆头带介十字螺丝 (M1.4x3mm)x3


Ball Bearing-MR104ZZ  
滚珠轴承(Φ4\*Φ10\*4 )

Main body frame  
机身主机架




Ball Bearing-MR104ZZ  
滚珠轴承(Φ4\*Φ10\*4 )x2




Ball Bearing-MR104ZZ  
滚珠轴承(Φ4\*Φ10\*4 )x2



1:Suggestion: use low strength metal thread sealant for M1.7x4 screws.  
建议:M1.7x4螺丝使用低强度金属螺纹胶。  
2:The linkage ball must be positioned 7mm out on the servo arm.  
球头安装位置距离 摆臂旋转中心 7mm.  
3:Pay attention to the direction of the swing arms of the three servos  
注意三个舵机摆臂回中方向.



M1.6 Nut 螺母(M1.6)x3
Linkage Ball 球头螺丝(Φ3.175*7.3)x3



1: It is recommended to use medium strength locking adhesive during the assembly process for machine screws and align the screws with the flat spots on the spindle. The screw must be locked in place.  
1: M3\*4机米螺丝 建议涂抹中强度螺纹锁固胶水，装配时螺丝要对准主轴上的平面台阶锁入，螺丝要锁到位。

Machine screw  
机米螺丝M3\*4mm






Machine screw  
机米螺丝M3\*4mm







Machine screw  
机米螺丝M3\*4mm x2

Motor  
电机









Philips Screw  
圆头十字自攻牙螺丝  
(M2x8mm) x4







Philips Screw  
圆头十字自攻牙螺丝  
(M1.7x5mm)

Philips Screw  
圆头十字自攻牙螺丝  
(M1.7x5mm)x10











CAUTION  
注意

1: Assemble the decorative parts to the designated position and then fix them with adhesive.


1: 装饰件零件装配到指定位置，然后使用胶水粘接固定。




**CAUTION 注意**



1: Assemble decorative parts, air inlet, exhaust outlet, horizontal wing, tail wing and other components to designated positions, and then fix them with adhesive.



1: 装饰件、进气口、排气口、水平翼、尾翼等零件装配到指定位置，然后使用胶水粘接固定。








**CAUTION**  
注意

1: Assemble the air inlet, exhaust outlet, horizontal wing and other parts to the designated position, and then fix them with adhesive.  
1: 进气口、排气口、水平翼等零件装配到指定位置，然后使用胶水粘接固定。










**CAUTION 注意**

Notice:

- 1: Install the battery fully into cavity, then insert the battery plug into the socket, paying attention to the direction of the plug;
- 2: The fuselage front is aligned and then pushed onto the fuselage, the clips on each side will fasten it in place;

注意:


- 1: 电池装到底，然后将电池插头插入插座，注意插头方向；
- 2: 机身对齐位置装配到位，两侧卡扣会扣合固定；



**Notice:**

1. A 1.5mm hex screwdriver is included in the box for assembling the main and tail blades.
2. The main blades rotate counterclockwise. Make sure to assemble the blades according to the provided illustration and be careful not to assemble them incorrectly.
3. Each main blade set is factory-calibrated and weighed. Do not mix blades from different sets, as this can cause the helicopter to fly unstably or vibrate abnormally, and you may lose control of the helicopter.
4. When assembling the main blades, do not tighten the screws too much. The blades should be able to fold by hand with a slight damping feeling. Make sure the blades have the same tightness to avoid vibrations and instability that can lead to loss of control. Always double-check the helicopter before take-off and establish a regular maintenance routine.

**注意：**

- 1: 包装盒内已配送1.5mm 内六角螺丝刀, 可用于装配主桨和尾桨。
- 2、主桨是逆时针旋转, 桨叶装配方向要和图片一致, 注意不要装错。
- 3、每组主桨组, 出厂时已完成选号, 称重配对, 当同时有多对主桨时, 不可多组混搭使用。主桨组若混搭使用, 会造成直升机飞行不稳异常震动, 严重的可能会失控。
- 4、主装配时固定螺丝绝对不能锁太紧, 锁紧后需用手折动主桨, 要有轻微的阻尼感为佳, 四片主桨的紧度要一致。紧度不一致或者过紧会造成机体震动导致飞行时不稳定, 严重的可能会导致失控, 请务必小心注意, 并养成飞行前检查并定期保养。






Flight Parameter Setting Introduction  
飞行参数设置说明

General Flight Mode 一般飞行模式			
Throttle 油门		Blade Pitch 螺距	
5	55	100	12.5°
4	55	65	5.5°
3	55	15	1.8°
2	55	-5	-0.6°
1	0	-20	-2.4°

IDLE 1 Mode IDLE 1模式			
Throttle 油门		Blade Pitch 螺距	
5	65	100	12.5°
4	65	50	5.5°
3	65	5	0.6°
2	65	-50	-5.5°
1	65	-100	-12.5°

IDLE 2 Mode IDLE 2模式			
Throttle 油门		Blade Pitch 螺距	
5	75	100	12.5°
4	75	50	5.5°
3	75	0	0°
2	75	-50	-5.5°
1	75	-100	-12.5°

Introduction for flight control binding  
飞控对频介绍



Turn on the GOOSKY T8 transmitter, press the BIND button for 3 times after the helicopter is powered on. The blue light flashes quickly. Keep the transmitter less than one meter away from the flight control. The flight control passes self-detection when the blue light is solid on. Then the binding is done.

Turn on the Futaba transmitter, adjust the communication protocol to (S-FHSS). Long press and hold the BIND button when the aircraft is powered on, the blue light flashes quickly then. Keep the transmitter less than one meter away from the flight control. The flight control passes self-detection when the blue light is solid on. Then the binding is done.

打开GOOSKY T8遥控器，飞机上电连接3次（BIND）按键等蓝灯快闪，遥控器靠近飞控小于1米距离，蓝灯常亮飞控通过自检，对频完成；

打开Futaba遥控器，将通信协议调整到(S-FHSS)，飞机上电长按（BIND）按键等蓝灯快闪，遥控器靠近飞控小于1米距离，蓝灯常亮飞控通过自检，对频完成；

## Spare parts picture-1 配件-1

<p><b>Model:</b> GT050001 <b>Package:</b> Hang tag +PE bag 配件编号: GT050001 包装方式: 吊卡+PE袋 <b>Product name:</b> Aluminlum Rotor Hub 配件名称: 主旋翼头组</p> <p>适用机型: E2</p> <p>M2*10-L4=1PCS</p>	<p><b>Model:</b> GT050002 <b>Package:</b> Hang tag +PE bag 配件编号: GT050002 包装方式: 吊卡+PE袋 <b>Product name:</b> Rotor Holder Set 配件名称: 主桨夹组</p> <p>单品1PCS 适用机型: E2</p> <p>Ø3xØ4.4x4=2PCS Ø3xØ6x2.5=4PCS</p>	<p><b>Model:</b> GT050003 <b>Package:</b> Hang tag +PE bag 配件编号: GT050003 包装方式: 吊卡+PE袋 <b>Product name:</b> Main Pitch Control Arm Set 配件名称: 主螺距控制臂组</p> <p>单品4PCS 适用机型: E2</p> <p>M2*8.5-L4=4PCS</p>	<p><b>Model:</b> GT050004 <b>Package:</b> Hang tag +PE bag 配件编号: GT050004 包装方式: 吊卡+PE袋 <b>Product name:</b> Feathering Shaft Set 配件名称: 桨夹横轴组</p> <p>单品2PCS 适用机型: E2</p> <p>Ø2xØ5x0.2=4PCS M2x5=4PCS</p>
<p><b>Model:</b> GT050005 <b>Package:</b> Hang tag +PE bag 配件编号: GT050005 包装方式: 吊卡+PE袋 <b>Product name:</b> Swashplate Set 配件名称: 倾斜盘组件</p> <p>单品1PCS 适用机型: E2</p>	<p><b>Model:</b> GT050006 <b>Package:</b> Hang tag +PE bag 配件编号: GT050006 包装方式: 吊卡+PE袋 <b>Product name:</b> Ball Joint Screw Set 配件名称: 球头螺丝组件</p> <p>适用机型: E2</p>	<p><b>Model:</b> GT050007 <b>Package:</b> Hang tag +PE bag 配件编号: GT050007 包装方式: 吊卡+PE袋 <b>Product name:</b> Swash Inner Ring 配件名称: 倾斜内盘组</p> <p>单品1PCS 适用机型: E2</p>	<p><b>Model:</b> GT050008 <b>Package:</b> Hang tag +PE bag 配件编号: GT050008 包装方式: 吊卡+PE袋 <b>Product name:</b> Swash Outer Ring 配件名称: 倾斜外盘组</p> <p>单品1PCS 适用机型: E2</p>
<p><b>Model:</b> GT0000108 <b>Package:</b> Hang tag +PE bag 配件编号: GT0000108 包装方式: 吊卡+PE袋 <b>Product name:</b> Swashplate Ball set 配件名称: 倾斜球固定座组</p> <p>适用机型: S2/E2</p>	<p><b>Model:</b> GT050009 <b>Package:</b> Hang tag +PE bag 配件编号: GT050009 包装方式: 吊卡+PE袋 <b>Product name:</b> Plastic Servo case Set 配件名称: 塑胶壳壳机组</p> <p>单品1PCS 适用机型: E2</p> <p>Ø3.175x7.3-M1.6=1PCS M1.6=1PCS ST1.6*6PB=2PCS</p>	<p><b>Model:</b> GT000012 <b>Package:</b> Hang tag +PE bag 配件编号: GT000012 包装方式: 吊卡+PE袋 <b>Product name:</b> Servo to Swash Links 配件名称: 双孔球头连杆</p> <p>单品5PCS 适用机型: S2/E2</p>	<p><b>Model:</b> GT000014 <b>Package:</b> Hang tag +PE bag 配件编号: GT000014 包装方式: 吊卡+PE袋 <b>Product name:</b> Servo swing arm 配件名称: 舵机摆臂</p> <p>单品10PCS 适用机型: S1/S2/E2</p>
<p><b>Model:</b> GT050010 <b>Package:</b> Hang tag +PE bag 配件编号: GT050010 包装方式: 吊卡+PE袋 <b>Product name:</b> Main Body Frame 配件名称: 主机架组</p> <p>单品1PCS 适用机型: E2</p> <p>Ø4xØ10x4=4PCS</p>	<p><b>Model:</b> GT050011 <b>Package:</b> Hang tag +PE bag 配件编号: GT050011 包装方式: 吊卡+PE袋 <b>Product name:</b> Motor Mount 配件名称: 电机底座组</p> <p>单品1PCS 适用机型: E2</p> <p>ST2*8PB=4PCS</p>	<p><b>Model:</b> GT050012 <b>Package:</b> Hang tag +PE bag 配件编号: GT050012 包装方式: 吊卡+PE袋 <b>Product name:</b> Anti-rotation bracket Set 配件名称: 限位支架组</p> <p>单品1PCS 适用机型: E2</p> <p>ST1.7*6PB=2PCS</p>	<p><b>Model:</b> GT050013 <b>Package:</b> Hang tag +PE bag 配件编号: GT050013 包装方式: 吊卡+PE袋 <b>Product name:</b> LED Set 配件名称: 指示灯组</p> <p>单品1PCS 适用机型: E2</p> <p>ST1.6*5PB=2PCS</p>
<p><b>Model:</b> GT050014 <b>Package:</b> Hang tag +PE bag 配件编号: GT050014 包装方式: 吊卡+PE袋 <b>Product name:</b> Main Shaft Set 配件名称: 主轴组</p> <p>单品2PCS 适用机型: E2</p> <p>M3*4=4PCS</p>	<p><b>Model:</b> GT050015 <b>Package:</b> Hang tag +PE bag 配件编号: GT050015 包装方式: 吊卡+PE袋 <b>Product name:</b> Main motor 配件名称: 主电机组</p> <p>单品1PCS 适用机型: E2</p> <p>M2.5x6=4PCS</p>	<p><b>Model:</b> GT050016 <b>Package:</b> Hang tag +PE bag 配件编号: GT050016 包装方式: 吊卡+PE袋 <b>Product name:</b> Tail Motor Set 配件名称: 尾电机组</p> <p>单品1PCS 适用机型: E2</p> <p>M1.6*4=3PCS</p>	<p><b>Model:</b> GT050017 <b>Package:</b> Hang tag +PE bag 配件编号: GT050017 包装方式: 吊卡+PE袋 <b>Product name:</b> Tail Boom 配件名称: 尾管</p> <p>单品1PCS 适用机型: E2</p>





Model: GT050018 配件编号: GT050018 Product name: Tail Connection Set 配件名称: 尾转接支架组	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050019 配件编号: GT050019 Product name: Tail Motor Carbon Mount 配件名称: 尾电机固定碳板	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050020 配件编号: GT050020 Product name: Tail Blade Set 配件名称: 尾桨组件	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050021 配件编号: GT050021 Product name: Main Blade Set 配件名称: 主桨组件	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋
单品1PCS	适用机型: E2	单品1PCS	适用机型: E2	单品1PCS	适用机型: E2	单品4PCS	适用机型: E2





Model: GT050022 配件编号: GT050022 Product name: Main Blade Screw Set 配件名称: 主桨固定螺丝组	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050023 配件编号: GT050023 Product name: Landing Skid 配件名称: 脚架组	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050024 配件编号: GT050024 Product name: 11.1V 1600mAh High C Rate LiPo battery 配件名称: 11.1V 1600mAh 高率锂电池	Package: bar code +Box 包装方式: 条形码+包装盒	Model: GT000081 配件编号: GT000081 Product name: Swing arm ball joint group 配件名称: 摆机摆臂球头组	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋
单品1PCS	适用机型: E2	单品1PCS	适用机型: E2	单品1PCS	适用机型: E2	单品1PCS	适用机型: S2 E2




Model: GT000048 配件编号: GT000048 Product name: APP Bluetooth Module 配件名称: 蓝牙模块	Package: Hang tag +ESD bag 包装方式: 吊卡+防静电袋	Model: GT050025 配件编号: GT050025 Product name: Swashplate Servo Gear Set 配件名称: 摆机齿轮组	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050026 配件编号: GT050026 Product name: Flight Control Board 配件名称: 飞控模块	Package: Hang tag +ESD bag 包装方式: 吊卡+防静电袋	Model: GT050027 配件编号: GT050027 Product name: ESC Board 配件名称: 电调模块	Package: Hang tag +ESD bag 包装方式: 吊卡+防静电袋
单品1PCS	适用机型: S1/S2/RS4/E2	单品1PCS	适用机型: E2	单品1PCS	适用机型: E2	单品1PCS	适用机型: E2


Model: GT050028 配件编号: GT050028 Product name: ESC to FC Cable 配件名称: 电调连接线	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT000072 配件编号: GT000072 Product name: SBUS Receiver External Cable 配件名称: SBUS 接收机外接连接线	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT000073 配件编号: GT000073 Product name: DSMX Receiver External Cable 配件名称: DSMX 接收机外接连接线	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050029 配件编号: GT050029 Product name: EPP Carrying Case 配件名称: EPP 包装盒	Package: bar code +Box 包装方式: 条形码+纸盒
单品2PCS	适用机型: E2	单品5PCS	适用机型: E2	单品5PCS	适用机型: E2	单品1PCS	适用机型: E2

Model: GT050030 配件编号: GT050030 Product name: Washer Set 配件名称: 垫片组	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050031 配件编号: GT050031 Product name: Screw Set 配件名称: 螺丝组	适用机型: E2	Model: GT000063 配件编号: GT000063 Product name: Ball bearing set (MR63ZZ) 配件名称: 滚珠轴承组(MR63ZZ)	Package: Hang tag +PE bag 包装方式: 吊卡+PE袋	Model: GT050028 配件编号: GT050028 Product name: ESC to FC Cable 配件名称: 电调连接线	适用机型: S2 E2
单品1PCS	适用机型: E2	单品1PCS	适用机型: E2	单品1PCS	适用机型: E2	单品1PCS	适用机型: E2

<p>Model: GT000064 Package: Hang tag +PE bag 配件编号: GT000064 包装方式: 吊卡+PE袋 Product name: Ball bearing set (6701ZZ) 配件名称: 滚珠轴承组(6701ZZ)</p> <p>适用机型: S2 E2</p>  <p><math>\Phi 12 * \Phi 18 * 4 = 2 \text{PCS}</math></p>	<p>Model: GT000065 Package: Hang tag +PE bag 配件编号: GT000065 包装方式: 吊卡+PE袋 Product name: Ball bearing set (MR104ZZ) 配件名称: 滚珠轴承组(MR104ZZ)</p> <p>适用机型: S2 E2</p>  <p><math>\Phi 4 * \Phi 10 * 4 = 2 \text{PCS}</math></p>	<p>Model: GT050032 Package: Hang tag +BOX 配件编号: GT050032 包装方式: 包装盒 Product name: Fuselage (Front Part) 配件名称: 机头罩组</p> <p>适用机型: E2</p> 	<p>Model: GT050033 Package: Hang tag +BOX 配件编号: GT050033 包装方式: 包装盒 Product name: Fuselage (Rear Part) 配件名称: 机身组</p> <p>适用机型: E2</p> 
--	---	--	---


<p>Model: GT050034 Package: bar code +White box 配件编号: GT050034 包装方式: 条形码+白盒 Product name: Side Door Set 配件名称: 舱门组</p> <p>适用机型: E2</p> 	<p>Model: GT050035 Package: bar code +White box 配件编号: GT050035 包装方式: 条形码+白盒 Product name: Arms Set 配件名称: 挂载组</p> <p>适用机型: E2</p> 	<p>Model: GT050036 Package: bar code +White box 配件编号: GT050036 包装方式: 条形码+白盒 Product name: Air Inlet Set 配件名称: 进气口组</p> <p>适用机型: E2</p> 	<p>Model: GT050037 Package: bar code +White box 配件编号: GT050037 包装方式: 条形码+白盒 Product name: Air Outlet Set 配件名称: 排气口组</p> <p>适用机型: E2</p> 
---	--	---	---

<p>Model: GT050038 Package: bar code +White box 配件编号: GT050038 包装方式: 条形码+白盒 Product name: Horizontal Stabilizer Set 配件名称: 水平翼组</p> <p>适用机型: E2</p> 	<p>Model: GT050039 Package: bar code +White box 配件编号: GT050039 包装方式: 条形码+白盒 Product name: Fuselage Accessory Set 配件名称: 机身配件组</p> <p>适用机型: E2</p> 	<p>Model: GT000066 Package: Hang tag +BOX 配件编号: GT000066 包装方式: 包装盒 Product name: Transmitter-MODE2 配件名称: 遥控器-右手油门</p> <p>适用机型: S1/S2/E2</p> 
---	---	---

<p>Model: GT000067 Package: Hang tag +BOX 配件编号: GT000067 包装方式: 包装盒 Product name: Transmitter-MODE2 配件名称: 遥控器-左手油门</p> <p>适用机型: S1/S2/E2</p> 	<p>Model: GT000070 Package: bar code +White box 配件编号: GT000070 包装方式: 条形码+白盒 Product name: T8 remote control battery 配件名称: T8遥控器电池</p> <p>单品1PCS</p> <p>适用机型: T8遥控器</p> 
---	--


Remote Control Power Light(LED: Green (fully charged) Red (low power))  
遥控器电源指示灯 (绿色-充满电、红色-低电量)


(MODEL 2)




Remote Control Power Light(LED: Green (fully charged) Red (low power))  
遥控器电源指示灯 (绿色-充满电、红色-低电量)

(MODEL 1)





- (Product Model) 产品型号: T8
- (Size) 外形尺寸长: L153\*W93\*H153
- (Radio Frequency) 无线频率: 2.404GHz--2.4475 GHz
- (Transmit Power) 发射功率: < 20 dBm
- (Weight) 重量约: 335g
- (Modulation Mode) 调制方式: 2FSK
- (Spread Spectrum Mode) 扩频方式: FHSS
- (Operating Voltage) 工作电压: 3.7V
- (Effective Distance) 遥控距离: 300m
- (Charging Port) 充电接口: USB-C
- (Low Voltage Alarm) 低电压报警: 3.35V
- (Battery Type) 电池类型: Lithium Polymer Battery
- (Battery Capacity) 电池容规格: 18650 2800mAh 3.7V
- (Coach Interface) 音频接口: PPM输出





# **GOOSKY**

Guangdong Goosky Technology Innovation Co., Ltd.  
[www.goo-sky.com](http://www.goo-sky.com)

---

©2024