


S2

INSTRUCTION MANUAL

使用说明书



GOOSKY

#1 BY DESIGN

©2022

Thank you for choosing **Goosky** Technology series products. Before entering the remote control world, you must be told a lot of relevant knowledge and precautions to ensure that you can be more comfortable in the learning process. Before starting the operation, please read this manual carefully. We believe it will be of great help to you. Please keep this manual properly for future reference.

感谢您选用谷天科技系列产品。

进入遥控世界前必须告诉您许多相关的知识与注意事项，以确保您能够在学习的过程中较得心应手。在开始操作之前，请务必详细阅读本说明书，相信一定能够给您带来相当大的帮助，也请您妥善保管这本说明书，以作为日后参考。

Thank you for purchasing Goosky products. In order to use the S2 helicopter easily and conveniently, please read this manual in detail before assembling and operating this helicopter. At the same time, please keep this manual properly for future adjustment and maintenance reference. S2 is a new product developed by Goosky. No matter you are a beginner who needs stable flight or a flight enthusiast who pursues excellent performance, S2 is your best choice.

感谢您选购谷天科技公司产品，为了您容易方便使用S2直升机，请您详细的阅读完这本说明书之后再进行组装以及操作这台直升机，同时请您妥善保管这本说明书，作为日后进行调整以及维修的参考。

S2是由谷天科技有限公司自行研发的新产品，不论您是需求飞行稳定的初学者还是追求性能卓越的飞行爱好者。S2将是您最佳的选择。

WARNING LABEL LEGEND 标志代表含义

 WARNING 警告	Misuse of these operating instructions could result in property damage or serious injury. 因为疏忽这些操作说明，而使用错误可能造成财产损失或严重伤害。
 CAUTION 注意	Incorrect use can be dangerous by ignoring these operating instructions. 因为疏忽这些操作说明，而使用错误可能造成危险。
 FORBIDDEN 禁止	Do not attempt the operation in any prohibited environment. 在任何禁止的环境下，请勿尝试操作。

IMPORTANT NOTES 重要声明

S2 remote control helicopter is not a toy, it is a leisure product designed by combining many high-tech products. Improper use or unfamiliarity of the product may cause serious injury or even death. Please read this manual carefully before using. Pay attention to your own safety.

Notice! For the use of any remote control helicopter, the manufacturer and distributor cannot take any responsibility for the user's accident caused by abnormal wear and tear of parts or improper assembly. This product is provided for adults who have experience in operating model helicopters or have equivalent skills. The company will guide the flight in the local legal remote control flight field to ensure safe and error-free operation and use. After the product is sold, the company will not be responsible for any performance and safety responsibility for any operation and use control.

S2遥控直升机并非玩具，它是结合了许多高科技产品所设计出来的休闲用品，所以商品的使用不当或者不熟悉都可能会造成严重伤害甚至死亡，使用之前请务必详细阅读本说明书，勿轻忽并注意自身安全。

注意！任何遥控直升机的使用，制造商和经销商是无法对使用者于零件使用的损耗异常或组装不当所发生之意外负责任何责任，本产品是为提供有操作过模型直升机经验的成人或者有相当技术的人员在旁指导于当地合法遥控飞行场飞行，以确保安全无误下操作使用，产品售出后该公司将不负任何责任和使用控制上的任何性能与安全责任。

Model products are consumable products that require high operating skills. If they are disassembled and used, the parts will be damaged in various situations. If the products are defective or unsatisfactory due to any use, they will not be replaced with new products within the warranty conditions. Or return the product, in case of operation and maintenance problems, the company's global branches or agents will provide technical guidance and special parts supply services.

模型商品属于需高操作技术且为消耗性之商品，如经拆装使用后，会造成不等情况零件损耗，任何使用情况所造成的商品不良或不满意，将无发于保固条件内更换新品或者退货，如遇有使用操作维修问题，本公司全球分公司或者代理商将提供技术指导，特价零件供应服务。

SAFETY NOTES 安全注意事项



Remote control model airplanes and helicopters are high-risk commodities, and they must be kept away from crowds when flying. Improper assembly or damaged parts, poor electronic control equipment, and unfamiliar handling may lead to unforeseen accidents such as loss of control and damage to the flight. Please pay attention to flight safety and understand the responsibility for any accident caused by your own negligence.

遥控模型飞机、直升机属于高危险性商品，飞行时务必远离人群，人为组装不当或机件损坏，电子控制设备不良，以及操控上的不熟悉、都有可能导致飞行失控损伤等不可预期的意外，请飞行者务必注意飞行安全，并需了解自负疏忽所造成的任何意外之责任。




LOCATE AN APPROPRIATE LOCATION 远离障碍物及人群

Helicopter flying has a certain speed, which is relatively potentially dangerous. The choice of venue is also relatively important. Please abide by local laws and regulations and go to a legal remote control flight venue to fly. You must pay attention to whether there are people, high-rises, buildings, high-voltage wires, trees, etc. around, so as to avoid damage to your own or other people's property caused by improper manipulation. When practicing for the first time, be sure to choose to fly in an open, legal and exclusive flight site and properly match the training rack, which will greatly reduce the damage caused by flight errors. Do not operate in bad weather such as rainy days and thunderstorms to ensure the safety of yourself and the body.

直升机飞行时具有一定的速度, 相对的也潜在着危险性, 场地的选择也相对的重要, 请遵守当地的法律法规到合法的遥控飞行场地去飞行。

必须注意周边有没有人、高楼、建筑物、高压电线、树木等等、避免操控的不当造成自己或他人的财产损失。

初次练习时, 务必选择在空旷合法专属飞行场地并适当搭配练习架飞行, 这对于飞行失误所造成的损伤将会大幅的降低。请勿在下雨天、打雷等恶劣天气下操作, 以确保本身及机体的安全。



PREVENT MOISTURE 远离潮湿环境

The interior of the helicopter is also composed of precise electronic parts, so it must be absolutely protected from damp or moisture. Avoid using it in the bathroom or in rainy days, to prevent moisture from entering the interior of the fuselage and causing the failure of the parts and electronic parts, resulting in unexpected accidents!

直升机内部也是由精密的电子零件组成, 所以必须绝对的防止潮湿或水气, 避免在浴室或雨天时使用, 防止水气进入机身内部而导致机件及电子零件故障而引发不可预期的意外!




PREVENT OPETATION 勿不当使用本产品

Do not modify and process by yourself. For any upgrade, modification or repair, please use the parts in the product catalog of GOOSKY to ensure the safety of the structure.

Please confirm to operate within the product limits, do not use overload, and do not use it for other illegal purposes other than safety and laws.

请勿自行改造加工, 任何的升级改造或维修, 请使用谷天科技产品目录中的零件, 以确保结构的安全。

请确认于产品界限内操作, 请勿过载使用, 并勿用于安全、法令外其他非法用途。



OBTAIN THE ASSISTANCE OF AN EXPERIENCED PILOT 避免独自操控

Before arriving at the flight site, it is necessary to confirm whether there are friends of the same frequency flying, because turning on the transmitter of the same frequency will cause unexpected dangers such as immediate interference with others.

Remote control aircraft control skills are difficult in the early stage of learning. It is necessary to avoid operating the flight alone as much as possible, and it needs the guidance of an experienced person to control the flight. Diligent practice of computer simulators and veteran guidance is a necessary choice for entry

至飞行场地前, 需确认是否有相同频率的同好正在飞行, 因为开启相同的频率的发射机将导致自己与他人立即干扰等意外危险。

遥控飞机操控技巧在学习初期有着一定的难度, 要尽量避免独自操作飞行, 需有经验的人士在旁指导, 才可以操控飞行。(勤练电脑模拟器及老手指导是入门必要的选择)



SAFE OPERATION 安全操作

Please operate this helicopter within your own capabilities and within a certain technical range. If you are too tired, mentally or improperly operated, the risk of accidents may increase.


请于自己能力内及需要一定技术范围内操作这台直升机, 过于疲劳, 精神不佳或不当操作, 意外发生风险将可能会提高。



ALWAYS BE AWARE OF THE ROTATING BLADES 远离运转中的零件

When the main rotor and tail rotor of the helicopter are running, do not touch and keep away from any objects to avoid danger and damage


当直升机主旋翼与尾旋翼运转时, 切勿触摸并远离任何物件, 以避免造成危险及损坏。







KEEP AWAY FROM HEAT 远离热源

Most of the remote control planes are made of fiber, polyethylene, and electronic products. Therefore, try to stay away from heat sources and sunlight to avoid the possibility of deformation or even meltdown and damage due to high temperature.

遥控飞机多半是以PA纤维或聚乙烯、电子商品为主要材质, 因此要尽量远离热源、日照, 以避免因高温而变形甚至熔毁损坏的可能。



 Knife 刀子	 Scissors 剪刀	 Needle Nose Pliers 尖嘴钳	 Diagonal Cutting Pliers 斜口钳
 Philips Screw Drive 十字螺丝起子	 Hexagon Screw Driver 六角螺丝起子	 lubricating oil	 CA瞬间胶
			 AB Glue AB胶

胶水使用方法 Instructions of using glue

For the assembly steps marked with the following symbols, please use glue or oil to ensure the reliability of use.
标有以下符号之组裝步骤，请配合上胶或上油，以确保使用之可靠度。



Use screw glue
使用螺丝胶



Add lubricating oil
添加润滑油



Normal tightening
普通拧紧



No screw glue needed
无需使用螺丝胶



Add lubricating grease
添加润滑油脂




Completely tightened
完全拧紧




Secure with instant glue
使用瞬间胶固定



Repeat many times
重复多次



The width of the blue screw glue
蓝色螺丝胶上胶宽度约1.0mm



Specifications 参数配备



- Length: 436mm
- Height: 144mm
- Main Blade: 193mm
- Main Rotor Diameter: 440mm
- Tail Rotor Diameter: 99mm
- Flying Weight: 345g







- 机身长: 436mm
- 机身高: 144mm
- 主旋翼长度: 193mm
- 主旋翼直径: 440mm
- 尾旋翼直径: 78mm
- 起飞重量约: 345g

Features 设计特点

- With dual brushless motors driving the main and tail rotors directly
- FBL rotor head structure
- Adjustment free connecting rod of the whole aircraft
- Streamlined and enclosed canopy with colorful paint technology
- Retractable quick-release battery structure
- Embedded quick assembly gasket design
- Parameter adjustment by Smart Phone APP
- Wireless program upgrade
- Anti-reversion quick-release propeller design
- Fastening motor tab connection
- GTS System Reconstruction of Higher Order Control Algorithms



- 采用双无刷电机直接驱主尾旋翼设计
- FBL 旋翼头结构
- 全机免调连杆设计
- 流线型, 封闭式头罩, 采用炫彩烤漆工艺
- 开合式快拆电池结构
- 沉入式快装垫片设计
- 手机APP调参、无线程序升级
- 防呆快拆螺旋桨设计
- 紧固式极耳电机连接
- 多功能、高集成GTS飞控系统









装配球头螺丝建议使用高强度金属螺纹锁固胶
It's recommended to use medium strength metal screw thread sealant to install slotted round head screw.

















此步骤，两侧固定电机组件的M1.6*4螺丝不要完全锁到位；
In this step, the M1.6*4 screws fixing the motor components on both sides should not be completely locked in place.







主机架组件装配后，再完全锁固侧板两侧4颗 M1.6*4螺丝；
After assembling the main frame components, fully lock the 4 M1.6*4 screws on both sides of the side panel.




























Notice:

- 1: Each group of main propellers has been selected, weighed and matched before leaving the factory. When there are multiple pairs of main propellers at the same time, multiple groups cannot be mixed and used. If the main propellers are mixed and used, it will cause the helicopter to fly unstable and abnormally vibrate, and may lose control in severe cases.
- 2: When assembling the tail rotor, the fixing screw must not be locked too tightly. After locking, the tail rotor needs to be folded by hand. It is better to have a slight damping feeling. The tightness of the two tail rotors should be the same. Inconsistent or too tight tightness will cause the body to vibrate and cause instability during flight, and may lead to loss of control in severe cases. Please be careful, and develop pre-flight inspections and regular maintenance.

注意:

- 1: 每组主桨组, 出厂时已完成选号、称重配对, 当同时有多对主桨时, 不可多组混搭使用。主桨组若混搭使用, 会造成直升机飞行不稳异常震动, 严重的可能会失控。
- 2: 主装配时固定螺丝绝对不能锁太紧, 锁紧后需用手折动主桨, 要有轻微的阻尼感为佳, 两支主桨的紧度要一致。紧度不一致或者过紧会造成机体震动导致飞行时不稳定, 严重的可能会导致失控, 请务必小心注意, 并养成飞行前检查并定期保养。



Socket screw
圆柱头内六角机械螺丝
(M2X12 半牙) x2





M2 screw sleeve
M2螺丝套 x2



Flat bearing gasket
平面垫片
(Φ2*Φ10*0.2mm) x4




M2 Nut
M2尼龙防松螺母 x2




CAUTION
注意

Notice:
1: Press the lower case button to open the lower case;
注意:
1: 按下机壳按键, 打开下机壳;



CAUTION
注意

Notice:
1: Install the battery to the end;
2: Press and hold the lower case button, and close the case upwards to ensure that the case lock is in place;
注意:
1: 电池装到底;
2: 按下机壳按键, 向上合上机壳, 确保机壳锁扣装到位;






How to disassemble the upper case:

- 1: Disassemble the fixing screws on both sides.
- 2: The propeller is turned to the side of the fuselage, and the two blades are retracted.
- 3: Move the upper casing upwards and turn it 90 degrees toward the blade position, and it can be disassembled;

上机壳拆解方法:

- 1: 拆解两侧的固定螺丝。
- 2: 螺旋桨转到机身侧面，两支桨叶收起来。
- 3: 上机壳向上移动，朝着桨叶位置转90度，就可以拆解下来了；






Flight Parameter Setting Introduction
飞行参数设置说明

General Flight Mode 一般飞行模式			
Throttle 油门		Screw Pitch 螺距	
5	60	100	11.5°
4	60	65	5.5°
3	60	15	1.8°
2	60	-5	-0.6°
1	0	-20	-2.4°

IDLE 1 Mode IDLE 1模式			
Throttle 油门		Screw Pitch 螺距	
5	65	100	11.5°
4	65	50	5.5°
3	65	5	0.6°
2	65	-50	-5.5°
1	65	-100	-11.5°

IDLE 2 Mode IDLE 2模式			
Throttle 油门		Screw Pitch 螺距	
5	73	100	11.5°
4	73	50	5.5°
3	73	0	0°
2	73	-50	-5.5°
1	73	-100	-11.5°

Introduction to flight control binding
飞控对频介绍









Turn on the GOOSKY T8 transmitter, press the BIND button for 3 times after the helicopter is powered on. The blue light flashes quickly. Keep the transmitter less than one meter away from the flight control. The flight control passes self-detection when the blue light is solid on. Then the binding is done.





Turn on the Futaba transmitter, adjust the communication protocol to (S-FHSS). Long press and hold the BIND button when the aircraft is powered on, the blue light flashes quickly then. Keep the transmitter less than one meter away from the flight control. The flight control passes self-detection when the blue light is solid on. Then the binding is done.





打开GOOSKY T8遥控器，飞机上电连接3次（BIND）按键等蓝灯快闪，遥控器靠近飞控小于1米距离，蓝灯常亮飞控通过自检，对频完成；

打开Futaba遥控器，将通信协议调整到(S-FHSS)，飞机上电长按（BIND）按键等蓝灯快闪，遥控器靠近飞控小于1米距离，蓝灯常亮飞控通过自检，对频完成；




Model: GT000001 配件编号: GT000001 Product name: Main rotorhousing set 配件名称: 主轴中心座组 适用机型: RS2 S2  M2*10-L4=1PCS M2=1PCS	Model: GT000002 配件编号: GT000002 Product name: Damper Rubber 配件名称: 横轴减震套组 单品8PCS 适用机型: RS2 S2 	Model: GT000003 配件编号: GT000003 Product name: Rotor Holder Set 配件名称: 主桨夹组 压好轴承 适用机型: RS2 S2  Ø3.1xØ4.4x1.4=2PCS Ø3xØ6x2.5=4PCS	Model: GT000004 配件编号: GT000004 Product name: Feathering Shaft Set 配件名称: 横轴组 适用机型: RS2 S2  Ø2xØ5x0.2=2PCS M2x5=2PCS
--	---	--	---





Model: GT000005 配件编号: GT000005 Product name: FBL Pros and Cons linkage rod 配件名称: FBL控制臂组 压好轴承 适用机型: RS2 S2  Ø1.5*Ø2.8*0.4=2PCS Ø1.5xØ4x2=4PCS	Model: GT000006 配件编号: GT000006 Product name: Tilting Inner Dribbling Ball Head Set 配件名称: 倾斜内盘球头座组 单品4PCS 适用机型: RS2 S2 	Model: GT000007 配件编号: GT000007 Product name: Thrust bearing set 配件名称: 推力轴承组 单品2PCS 适用机型: RS2 S2 	Model: GT000008 配件编号: GT000008 Product name: Swashplate Set 配件名称: 倾斜盘 适用机型: RS2 S2 
---	---	--	---




Model: GT000009 配件编号: GT000009 Product name: Ball Joint set 配件名称: 球头组 适用机型: RS2 S2 	Model: GT000010 配件编号: GT000010 Product name: Main Shaft Set 配件名称: 主轴组 适用机型: RS2 S2  M3*3=4PCS	Model: GT000011 配件编号: GT000011 Product name: Servo bracket set 配件名称: 舵机支架组 压好轴承 适用机型: RS2 S2  Ø4xØ10x4=2PCS M2*8=3PCS	Model: GT000012 配件编号: GT000012 Product name: Double hole ball joint set 配件名称: 双孔球头连杆 单品5PCS 适用机型: RS2 S2 
---	--	--	--





Model: GT000013 配件编号: GT000013 Product name: S2 Semi-Metal Shell Servo 配件名称: S2半金属舵机 适用机型: S2  1SET Ø3.175x7.3-M1.6=1PCS M1.6=1PCS M1.6*4=2PCS	Model: GT000014 配件编号: GT000014 Product name: Servo swing arm 配件名称: 舵机摆臂 单品10PCS 适用机型: RS2 S2 	Model: GT000015 配件编号: GT000015 Product name: Main Board 配件名称: 主板 适用机型: RS2 S2  M1.6*5=2PCS M1.6*4=2PCS	Model: GT000016 配件编号: GT000016 Product name: Second floor Board 配件名称: 二楼板 适用机型: RS2 S2  M1.6*4=2PCS
---	--	--	--



Model: GT000017 配件编号: GT000017 Product name: Bearing limit carbon plate 配件名称: 轴承限位碳板 适用机型: RS2 S2  M1.6*6=4PCS	Model: GT000018 配件编号: GT000018 Product name: Body Reinforcement Plate 配件名称: 机身加强片 适用机型: RS2 S2 	Model: GT000019 配件编号: GT000019 Product name: Tilt Phase Block 配件名称: 倾斜相位座 适用机型: RS2 S2  ST1.7*6=2PCS	Model: GT000020 配件编号: GT000020 Product name: Ball bearing set (681X) 配件名称: 滚珠轴承组(681X) 单品8PCS 适用机型: RS2 S2  Ø1.5*Ø4*2mm=8PCS
---	---	---	--





Model: GT000021 配件编号: GT000021 Product name: Left Panel Set 配件名称: 左侧板组 适用机型: RS2 S2 	Model: GT000022 配件编号: GT000022 Product name: Right side plate set 配件名称: 右侧板组 适用机型: RS2 S2 	Model: GT000023 配件编号: GT000023 Product name: Upper side panel 配件名称: 上侧板 适用机型: RS2 S2 	Model: GT000024 配件编号: GT000024 Product name: Body widening fixed seat set 配件名称: 机身加宽固定座组 适用机型: RS2 S2  M1.6*3=4PCS
--	--	--	---





Model: GT000025 配件编号: GT000025 Product name: Tail Rod front fixing seat set 配件名称: 尾管前固定座组 适用机型: RS2 S2  M1.6*4=5PCS M2*4=2PCS M2*12=2PCS	Model: GT000026 配件编号: GT000026 Product name: Chassis bracket 配件名称: 机壳支架 适用机型: RS2 S2 	Model: GT000027 配件编号: GT000027 Product name: Battery compartment upper seat 配件名称: 电池仓上座 适用机型: RS2 S2  ST1.5*6=6PCS	Model: GT000028 配件编号: GT000028 Product name: Lower battery compartment 配件名称: 电池仓下座 适用机型: RS2 S2  ST1.5*4=4PCS
---	---	--	--





Model: GT000029 配件编号: GT000029 Product name: Canopy fixing column 配件名称: 机壳固定柱 适用机型: RS2 S2  M1.6*4=4PCS	Model: GT000030 配件编号: GT000030 Product name: Main motor 配件名称: 主电机组 适用机型: S2  (Ø1.5*Ø3*0.3*0.6mm)=3PCS M2.5*5=3PCS	Model: GT000031 配件编号: GT000031 Product name: Main motor fixing base 配件名称: 主电机固定底座 适用机型: RS2 S2  M1.6*4=4PCS	Model: GT000032 配件编号: GT000032 Product name: Landing Skid (Red) 配件名称: 脚架组-红 适用机型: S2  M1.6*4=4PCS
--	---	---	--



Model: GT000033 配件编号: GT000033 Product name: Landing Skid (green) 配件名称: 脚架组-绿 适用机型: S2  M1.6=4PCS	Model: GT000034 配件编号: GT000034 Product name: Landing Skid (blue) 配件名称: 脚架组-蓝 适用机型: S2  M1.6=4PCS	Model: GT000035 配件编号: GT000035 Product name: Tail Boom set - red 配件名称: 双直尾管-红 适用机型: S2 	Model: GT000036 配件编号: GT000036 Product name: Tail Boom set - green 配件名称: 双直尾管-绿 适用机型: S2 
--	---	--	---




Model: GT000037 配件编号: GT000037 Product name: Tail Boom set - blue 配件名称: 双直尾管-蓝 适用机型: S2 	Model: GT000038 配件编号: GT000038 Product name: Tail Rod Inner Mount 配件名称: 尾管内部固定座 适用机型: RS2 S2 	Model: GT000039 配件编号: GT000039 Product name: Tail side panel reinforcement 配件名称: 尾侧板加强片 适用机型: S2 	Model: GT000040 配件编号: GT000040 Product name: vertical wing-Red 配件名称: 垂直翼-红 适用机型: S2  M1.6*5=2PCS
--	---	--	---





Model: GT000041 配件编号: GT000041 Product name: vertical wing-Green 配件名称: 垂直翼-绿 适用机型: S2  M1.6*5=2PCS	Model: GT000042 配件编号: GT000042 Product name: vertical wing-blue 配件名称: 垂直翼-蓝 适用机型: S2  M1.6*5=2PCS	Model: GT000043 配件编号: GT000043 Product name: Main Blades 配件名称: 主桨组 适用机型: RS2 S2 	Model: GT000044 配件编号: GT000044 Product name: Main rotor holder set 配件名称: 主桨固定配件组 适用机型: RS2 S2  Φ2*Φ10*0.2x4 M2X12 半牙x2 M2螺丝套x2 M2尼龙防松螺母x2
---	--	---	---


Model: GT000045 配件编号: GT000045 Product name: Tail Motor 配件名称: 尾电机 适用机型: S2  M1.6*4=3PCS (Φ1.5*Φ3*0.3*0.6mm)=3PCS	Model: GT000046 配件编号: GT000046 Product name: Tail blade 配件名称: 尾桨组 适用机型: S2  M1.6螺丝套~2PCS M1.6*4=2PCS	Model: GT000047 配件编号: GT000047 Product name: Lipo Battery Set 配件名称: 锂电池组 适用机型: RS2 S2 	Model: GT000048 配件编号: GT000048 Product name: APP Bluetooth Module 配件名称: 蓝牙模块 适用机型: RS2 S2 
---	---	---	--



Model: GT000049 配件编号: GT000049 Product name: Flight Control Module 配件名称: 飞控 适用机型: S2 	Model: GT000050 配件编号: GT000050 Product name: Flight Control Board 配件名称: 飞控板 适用机型: S2  可调参	Model: GT000051 配件编号: GT000051 Product name: ESC Board 配件名称: 电调板 适用机型: S2 	Model: GT000052 配件编号: GT000052 Product name: Flight control upper and lower case 配件名称: 飞控外壳 适用机型: S2  M1.2*5=4PCS
---	--	---	--





Model: GT000053 配件编号: GT000053 Product name: Gasket Set 配件名称: 垫片组件 适用机型: S2  Φ2*Φ10*0.2=4PCS Φ1.5*Φ2.8*2=2PCS Φ1.5*Φ2.8*0.4=2PCS Φ1.5*Φ2.5*0.2x8 (Φ1.5*Φ3*0.3*0.6mm)=6PCS Φ3*Φ4.5*0.1=2PCS Φ3.1*Φ4.4*1.4=2PCS M1.6螺丝套=1PCS Φ2*Φ5*0.2=2PCS M2螺丝套=2PCS (Φ3.1*Φ4*Φ5*0.3*0.55)=2PCS	Model: GT000054 配件编号: GT000054 Product name: Screw Kit set 配件名称: 螺丝组 适用机型: S2  M1.4X8-Φ1.5=2PCS M1.6*5=8PCS ST1.7*6=2PCS M2*4=2PCS M1.6*3=8PCS M2 Nut=5PCS M1*3=4PCS M2.5*8=1PCS M1.6*3=2PCS M1.4*3=6PCS M2*12-L4=4PCS M1.4x3=3PCS M2.5*5=3PCS ST1.5*4=8PCS M1.4*4=2PCS M2*10-L4=1PCS M1.6*6=2PCS M1.5*6=6PCS ST1.5*6=6PCS M1.2*5=4PCS M2*5=2PCS M3*4=2PCS M1.6*4=32PCS M2*6=5PCS M1.6*7PCS ST1.7*4=2PCS
--	--


Model: GT000055 配件编号: GT000055 Product name: 3M shock absorber 配件名称: 3M减震贴 适用机型: RS2 S2 	Model: GT000056 配件编号: GT000056 Product name: Bluetooth module cable 配件名称: 蓝牙模块连接线 适用机型: RS2 S2  50 ±2	Model: GT000057 配件编号: GT000057 Product name: Main Blade Holder for Storage 配件名称: 主翼支架组 适用机型: RS2 S2 	Model: GT000058 配件编号: GT000058 Product name: Swashplate servo gear set 配件名称: 十字盘舵机齿轮组 适用机型: RS2 S2 
--	--	---	---



Model: GT000059 配件编号: GT000059 Product name: Canopy Accessories set 配件名称: 机壳按键组 适用机型: RS2 S2 	Model: GT000060 配件编号: GT000060 Product name: Canopy Set--yellow red 配件名称: 机头罩--黄红色 适用机型: S2 	Model: GT000061 配件编号: GT000061 Product name: Canopy Set--yellow green 配件名称: 机头罩--黄绿色 适用机型: S2 	Model: GT000062 配件编号: GT000062 Product name: Canopy Set--green blue 配件名称: 机头罩--绿蓝色 适用机型: S2 
---	--	---	--


Model: GT000063 配件编号: GT000063 Product name: Ball bearing set (MR63ZZ) 配件名称: 滚珠轴承组(MR63ZZ) 适用机型: RS2 S2  Ø3*Ø6*2.5=4PCS	Model: GT000064 配件编号: GT000064 Product name: Ball bearing set (6701ZZ) 配件名称: 滚珠轴承组(6701ZZ) 适用机型: RS2 S2  Φ12*Φ18*4 =2PCS	Model: GT000065 配件编号: GT000065 Product name: Ball bearing set (MR104ZZ) 配件名称: 滚珠轴承组(MR104ZZ) 适用机型: RS2 S2  Φ4*Φ10*4 =2PCS	Model: GT000066 配件编号: GT000066 Product name: Transmitter-MODE1 配件名称: 遥控器-右手油门 适用机型: RS2 S2 
--	---	---	---

Model: GT000067 配件编号: GT000067 Product name: Transmitter-MODE2 配件名称: 遥控器-左手油门 适用机型: RS2 S2 	Model: GT000068 配件编号: GT000068 Product name: All metal Shell servo 配件名称: 全金属壳舵机 适用机型: S2  1SET Ø3.175x7.3-M1.6=1PCS M1.6=1PCS M1.6*4=2PCS	Model: GT000069 配件编号: GT000069 Product name: EPP packaging box 配件名称: EPP包装盒 适用机型: RS2 S2 	Model: GT000070 配件编号: GT000070 Product name: T8 remote control battery 配件名称: T8遥控器电池 适用机型: T8遥控器 
---	--	--	---



Model: GT000071 配件编号: GT000071 Product name: X130 to XT60 adapter 配件名称: XT30转XT60转接头 单品2PCS 	Model: GT000072 配件编号: GT000072 Product name: External connection line of SBUS receiver 配件名称: SBUS 接收机外连接线 单品5PCS 	Model: GT000073 配件编号: GT000073 Product name: Dsmx receiver external connection cable 配件名称: DSMX 接收机外连接线 单品5PCS 	Model: GT000074 配件编号: GT000074 Product name: Master pitch link 配件名称: 主控螺距连杆组 单品5PCS 
--	---	--	--

Model: GT000081 配件编号: GT000081 Product name: Swing arm ball joint group 配件名称: 舵机摆臂球头组 适用机型: RS2 S2 





- (Product Model)产品型号: T8
- (Diameters)外形尺寸长: L153*W93*H154
- (Radio Frequency)无线频率: 2.404GHz--2.4475 GHz
- (Transmit Power)发射功率: < 20 dBm
- (Weight)重量约: 335g
- (Modulation Mode)调制方式: 2FSK
- (Spread Spectrum Mode)扩频方式: FHSS
- (Working Voltage)工作电压: 3.7V
- (Remote Distance)遥控距离: 300m
- (Charge Interface)充电接口: TYPE-C
- (Low Voltage Alarm)低电压报警: 3.35V
- (Battery Type)电池类型: Lithium Polyer Battery
- (Battery Capacity)电池容规格: 2800mAh 3.7V
- (Coach Interface)音频接口: PPM输出



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

GOOSKY

Zhongshan Goosky Technology Innovation Co., Ltd.
www.goo-sky.com

© **2022**